

#### Safe Work Procedure

Version 1.0 PP-SWP-BSW-021

# Physical Plant Safe Use of High-Speed Polisher

## Approved by:

Michael McCormick

**Author:** Michelle Augustyn

Reviewed by:

WSH Committee Member

First Approved: August 2017

Reviewed on: March 2023

	_		_		_		
l	Ind	ate	hv:	Mar	ch	20	26

Potential Hazards:				
Н	M	L	Risk for Injury	
	$\boxtimes$		Awkward / sustained postures	
		$\boxtimes$	Biological pathogens	
	$\boxtimes$		Chemicals	
		$\boxtimes$	Combustibles / flammables	
	$\boxtimes$		Electrical hazards	
		$\boxtimes$	Extreme heat / cold	
$\boxtimes$			Forceful exertions	
		$\boxtimes$	Material falling	
$\boxtimes$			Moving machinery / parts	
		$\boxtimes$	Noise	
	$\boxtimes$		Pinch points	
$\boxtimes$			Repetitive motions	
	$\boxtimes$		Sharp points / edges	
		$\boxtimes$	Skin compression	
	$\boxtimes$		Surfaces causing falls	
			Traffic – Vehicle or pedestrian	
			Two Person Job	
	$\boxtimes$		Vibration	
			Violence / Psychological Hazard	
			Other	

<u>Risks:</u> Signs and symptoms of a musculoskeletal injury (MSI) can include pain, burning, swelling, stiffness, numbness/tingling, and/or loss of movement or strength in a body part. Report these to your manager or supervisor immediately.

Equipment/Devices or PPE Required:			
☐ Head Protection	$\square$ Body Protection		
☑ Eye Protection	☑ Hand Protection		
☐ Ear Protection	☑ Foot Protection		
☐ Face Protection	☐ High Visibility Wear		
☑ Other Protection Dust Mask if required			
CSA approved safety eyewear; latex gloves;			
CSA approved footwear; CSA approved hearing			
protection			
Required Training:			
□ WHMIS			
☐ Task performed and reviewed by competent			
person			
☑ other associated BSW SWPs			

All employees shall be trained on required Safe Work Procedures (SWP) until competent. This will include a review of SWP documentation and hands-on training as required. Employees are responsible for performing the task in accordance with training, established health and safety regulations/guidelines, policies, and procedures. Managers, supervisors, or delegates will ensure all duties are performed in accordance with training, established health and safety regulations/guidelines, policies, and procedures.

#### **NOTE:** Additional Potential Hazards

Only use cleaning products and equipment provided by the Physical Plant.

Do not leave equipment unattended.

### **Steps to Perform This Task Safely:**

upright position.

Ir	T	
Pre-use	Inspect and don all required PPE.	
Pre-use	Unwind cord fully and check for any cuts, tears.	
Pre-use	Check to ensure plug has a ground prong.	
1.	Unwind electrical cord completely.	
2.	Tilt machine back using handle.	
3.	Fit instalock brush or pad holder over clover leaf connection turn to lock in place.	
CAUTION:	Lay machine on side to fit instalock brush and pad holder. Do not attempt to install while machine is in upright position and while the cord is plugged in.	
4.	Attach scrubbing pad to bottom of machine.	
5.	Pull up the handle release lever to adjust the machine operating handle.	
6.	Move the operating handle downward until your arms are almost straight.	
7.	Push the handle release lever down to lock the machine operating handle in place.	
8.	Plug electrical cord into outlet.	
WARNING:	Be prepared to control this machine as soon as the motor starts. Just a slight up or down movement of handle will make the machine move from side to side. Raise handle to go right. Lower the handle to go left.	
9.	To start machine, hold the operator hand grips firmly, push safety lock buttons, and compress the switch levers.	
10.	When the switch levers are released, the machine shuts off immediately.	
CAUTION:	Immediately start moving machine back and forth. Keep the machine moving while the motor is running to avoid damaging the floor or carpet.	
11.	Place the operator handle in the upright position and unplug power cord.	
12.	Wrap the power cord around the operator handle grips and cord hook.	
13.	Remove the pad holder or the brush from machine.	
14.	If the function is present, start operating the machine on "low" speed.	
15.	<ul> <li>When polishing is complete:</li> <li>Wipe the cord with a damp rag before wrapping it around operator handle.</li> <li>Wipe handle and machine with a damp rag before storing it.</li> <li>Wipe the underside of brush housing if being used for wet work.</li> <li>Store machine in a clean, dry place with the operator handle in the</li> </ul>	

Ensure the equipment is safe, clean, and tidy before you leave it.

NOTE:	Do not store this machine with brush or pad holder attached.  Do not leave this equipment unattended.  Do not place the cord on your shoulder or around your neck.	
Prohibited activities	No ear buds / music or listening devices can be worn when operating equipment.	

If an emergency situation or equipment malfunction occurs while using the equipment, shut the unit off immediately and report to your supervisor. Report any hazardous situation to your supervisor / WSH Advisor.

Author:	Approved By: Michael McCormick	Reviewed By: WSH Committee
me	mt Men	OBindan

**RELATED MATERIAL – Manufacturers Instructions** 

REFERENCES - WSH Act/Regulations -

https://www.gov.mb.ca/labour/safety/pdf/whs workplace safety act and regs.pdf